SUBJECT INDEX

Apparent viscosity, p. 239
Automotive, p. 54
Bioactive agents, p. 254
Body panels, p. 54
Butadiene rubber, p. 301
Butyl-based, p. 282
Butyl rubber, p. 119
Carbon black, p. 345
Carbon black dispersion, p. 239
Carbon fibre, p. 345
Cast elastomers, p. 314
Cast polyurethane, p. 22
Chemical modification, p. 135
Clay, p. 34
Compound design, p. 345
Compound relaxation time, p. 239
Conductivity, p. 345
Controlled release plaques, p. 254
Copper, p. 110
Crosslinked polyureas, p. 104
Curing, p. 176
Differential scanning calorimetry, p. 104
DMA, p. 66
DMS, p. 66
DMTA, p. 66
Dynamic mechanical properties, p. 34
Dynamic modulus, p. 22
Dynamic properties, p. 314
Dynamic testing, p. 66
Elasticity, p. 218
Elastomer, p. 176
Elastomers, p. 66
EMI shieldings, p. 345
Energy absorption, p. 282
EPDM rubber, p. 119
Epoxidised natural rubber, p. 34
Extrusion dies, p. 218
Fatigue, p. 22
Filler loading, p. 34
Flow simulation, p. 218
Fracture energy, p. 152
FT-IR, p. 104
Heat ageing, p. 282
Heat-resistant polymers, p. 192
Heat transfer, p. 176
High abrasion furnace black, p. 110
High cis-1,4 polybutadiene, p. 135
Hysteresis loss, p. 152
Injection molding, p. 176
Innertubes, p. 119
Jeffamine® amine, p. 54
Low strain, p. 34
MDI/PTMEG elastomers, p. 314
MDI/Ester-elastomers, p. 314
Measurements, p. 176
Mechanical degradation, p. 239
Methyl methacrylate, p. 362
Milling and extrusion, p. 239
NDI/ester elastomers, p. 314
Neodymium catalyst, p. 135
Nitrile rubber, p. 345
Oxazolidone containing polymers, p. 192
Oxazolidone synthesis, p. 192
Ozone resistance, p. 119
Permeability, pp. 119, 282
Poly(oxazolidone-isocyanurates), p. 192
Poly(urethane-isocyanurates), p. 192
Poly(urethane-oxazolidones), p. 192
Polyetheramines, p. 54
Polyetherpolyamines, p. 54
Polymer blends, p. 119
Polymer swelling, p. 239
Polyurea, p. 54
Polyurethane, p. 66
Properties, pp. 110, 282
Recycling, p. 282

(continued)

Subject Index (continued)

Reinforcing, p. 110
Release, p. 110
Rheometrics, p. 66
RIM, p. 54
Rollers, p. 66
Rubber, p. 110
Rubber as binding matrix for bioactive materials, p. 110
Rubber compound rheology, p. 239
Rubber fillers, p. 301
Rubber processing, p. 239
Rubber technology, p. 110
Rubber vulcanizates, p. 152
SBR formulations, p. 254
Simulation, p. 176
Solid polyurethane elastomers, p. 314
Storage modulus, p. 152
Structure-property relationships, p. 192
TDI/PTMEG elastomers, p. 314
Temperature, p. 176
Terminal end modification, p. 135
Thermoplastic elastomers, p. 282
Thermoplastics, p. 218
Thermal stability, p. 104
Tin compound, p. 135
Tires, p. 66
Transfer reaction, p. 135
UV ageing, p. 282
Wear resistance, p. 135
Wood sawdust, p. 362

AUTHOR INDEX

Badran, A. S., p. 301
Barnes, M., p. 314
Basu, S. P., p. 152
Bhowmick, A. K., p. 152
Brito, A. M., p. 218
Carneiro, O. S., p. 218
Clift, S. M., p. 66
Covas, J. A., p. 218
De, S. K., p. 34
Deiber, J. A., p. 239
El-Awady, M. M., pp. 254, 362
El-Awady, N. I., p. 254
Faiman, D. T., p. 119
Fernandez, D. R., p. 239
Frisch, K. C., p. 192
Grigsby, R. A., Jr., p. 54
Haridas, K. R., p. 104
Hattori, I., p. 135
Helaly, F. M., pp. 110, 254, 301
Hosaki, T., p. 176
Huang, H. H., p. 314
Isayev, A. I., p. 176
Jablonowski, T. L., p. 119
Kay, P. J., p. 282
Khastgir, D., p. 345
Kogelnik, H. J., p. 314
Makino, K., p. 135
Meichsner, R., p. 314
Neogi, C., p. 152
Ouhadi, T., p. 282
Palinkas, R., p. 22
Pramanik, P. K., p. 345
Radhakrishna, G., p. 104
Rajalingam, P., p. 104
Ramadan, A. M., p. 301
Rice, D. M., p. 54
Saha, T. N., p. 345
Sakakibara, M., p. 135
Sendijarevic, A., p. 192
Sendijarevic, V., p. 192
Tripathy, D. K., p. 34
Tsutsumi, F., p. 135
Varughese, S., p. 34
Vlajic, M., p. 192